

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"6662327" and deterministic and test adj pattern and ATPG and multiplex\$3 and software	USPAT	OR	OFF	2006/04/21 15:21
L2	1	"6662327" and deterministic and test adj pattern and ATPG and multiplex\$3 and memory	USPAT	OR	OFF	2006/04/21 15:28
S1	3	"20050114747"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 13:29
S2	1691	lateral adj insertion	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 13:29
S3	6	(lateral adj insertion) and (scan adj chain)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 13:56
S4	44	"5903466"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 13:33
S5	2	"20030029341"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 13:33
S6	3320	(scan adj chain)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 13:56
S7	331	(scan adj chain) and deterministic	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 13:56

## EAST Search History

S8	185	"714"/\$.ccls. and S7	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 13:57
S9	166	S8 and clock\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 13:57
S10	297	S7 and clock\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 13:57
S11	295	S10 and test	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 13:58
S12	185	S10 and test adj pattern\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 14:02
S13	156	S8 and test adj pattern\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 13:59
S14	15262	S9 and repeat\$3 or reiterat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 13:59
S15	112	S9 and (repeat\$3 or reiterat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 14:31

## EAST Search History

S16	105	S13 and (repeat\$3 or reiterat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:46
S17	53	S15 and stuck	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 14:32
S21	208	"3783254"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:46
S22	147	"3783254"	USPAT	OR	ON	2006/04/20 16:47
S23	17	"3783254" and deterministic	USPAT	OR	ON	2006/04/20 16:47
S24	1	"6662327" and deterministic and test adj pattern and ATPG and multiplex\$3	USPAT	OR	OFF	2006/04/21 15:20
S25	1	"6662327" and deterministic and test adj pattern and ATPG and multiplex\$3 and scan adj chain	USPAT	OR	OFF	2006/04/21 14:18
S26	1	"20050229057" and perturbations	US-PGPUB	OR	OFF	2006/04/21 14:19

Search Session History

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Fri, 21 Apr 2006, 1:25:28 PM EST

Edit an existing query or compose a new query in the Search Query Display.

## Search Query Display



Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

## Recent Search Queries

		Results
<a href="#">#1</a>	((lfsr-coded <and> test <and> patterns <and> scan <and> designs)<in>metadata)	0
<a href="#">#2</a>	((test <and> patterns <and> scan <and> designs)<in>metadata)	610
<a href="#">#3</a>	((lfsr <and> test <and> patterns <and> scan <and> designs)<in>metadata)	33
<a href="#">#4</a>	((lfsr <and> test <and> patterns <and> scan <and> designs)<in>metadata)	33
<a href="#">#5</a>	(( koenemann<in>au ) <and> ( scan<in>ti ) )<and> ( test<in>ti )	1
<a href="#">#6</a>	(( koenemann<in>au ) <and> ( scan<in>ti ) )<and> ( test<in>ti )	1
<a href="#">#7</a>	(( koenemann<in>au ) <and> ( scan<in>ti ) )<and> ( test<in>ti )	1
<a href="#">#8</a>	(( koenemann<in>au ) <and> ( scan<in>ti ) )<and> ( test<in>ti )	1
<a href="#">#9</a>	(( koenemann<in>au ) <and> ( scan<in>ti ) )<and> ( test<in>ti )	1
<a href="#">#10</a>	(( koenemann<in>au ) <and> ( test<in>ti ) )	9
<a href="#">#11</a>	(( european<in>cs ) ) <and> (pyr >= 1991 <and> pyr <= 1991)	14
<a href="#">#12</a>	((test <and> patterns <and> scan)<in>metadata) <and> (pyr >= 1990 <and> pyr <= 1992)	68
<a href="#">#13</a>	((test <and> patterns <and> scan)<in>metadata) <and> (pyr >= 1990 <and> pyr <= 1992)	68
<a href="#">#14</a>	((test <and> patterns <and> scan)<in>metadata) <and> (pyr >= 1990 <and> pyr <= 1992)	68
<a href="#">#15</a>	((test <and> patterns <and> scan)<in>metadata) <and> (pyr >= 1991 <and> pyr <= 1991)	25
<a href="#">#16</a>	((test <and> patterns <and> scan)<in>metadata) <and> (pyr >= 1991 <and> pyr <= 1991)	25
<a href="#">#17</a>	(( koenemann<in>au ) ) <and> (pyr >= 1991 <and> pyr <= 1991)	0
<a href="#">#18</a>	(( koenemann<in>au ) ) <and> (pyr >= 1991 <and> pyr <= 1991)	0